Blackwell

Limestone

Products, LLC

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 Rules and Regulations Date of issue: 09/05/2016 Date of Revision: 10/15/2022

1. Product i	dentifier
roduct form	: Substance, Solid or Dust, Buff or Gray Color
ubstance name	: Buff Indiana Limestone, Calcite, Limestone, Calcium Carbonate
AS No	: 471-34-1 (Main Constituent)
ormula 2. Relevant	: CaCO3 identified uses of the substance
se of the substand mestone may be	
	Blackwell Limestone Products LLC 7071 State Road 446 Norman, Indiana 47264 Phone: +1-812-834-3925 Fax: +1-812-834-3925 Website: http://www.blimestoneproducts.com
4. Emergen	cy telephone number
mergency number	: Blackwell Office: 812-834-3925
	zards identification
1. Classific	tion of the substance or mixture
Eye Irritant. Cate Respiratory Tract Indiana Limeston constituted of cale	Irritant. Category 3 H335 b is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily ium carbonate. It is not classified as a hazard as a solid. Dust generated by Indiana Limestone is considered a nuisance dust.
Eye Irritant. Cate, Respiratory Tract Indiana Limeston constituted of cal- Laboratory tests not classified as a Contact: May pro abrasion or drying controls and safe	ory 2B H320 Irritant. Category 3 H335 a is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily
Eye Irritant. Cate, Respiratory Tract Indiana Limeston constituted of cal- Laboratory tests not classified as a Contact: May pro abrasion or drying controls and safe	by 2B H320 Irritant. Category 3 H335 e is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily ium carbonate. It is not classified as a hazard as a solid. Dust generated by Indiana Limestone is considered a nuisance dust. sing the NIOSH 7500 Analytical Method determined Crystalline Silica showed Non-Detect results for this product. This product carcinogen. Dust created during cutting or fabricating can cause mild skin, eye, or respiratory tract irritation hazards. Eye fuce mild or moderate mechanical irritation or inflammation. Skin Contact: Direct contact may cause mild skin irritation due to effects. Inhalation: Inhaled dust may cause respiratory irritation. Not expected to be an ingestion hazard. Follow engineering work practices recommended for inert dust (Particulates Not Otherwise Regulated) (PNOR), as outlined by industrial hygiene d to OSHA Table Z-1, to minimize excessive dust generation.
Eye Irritant. Cate Respiratory Tract Indiana Limeston constituted of cal- Laboratory tests not classified as a Contact: May pro abrasion or drying controls and safe procedures relate	Initiant. Category 3 H320 Irritant. Category 3 H335 e is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily ium carbonate. It is not classified as a hazard as a solid. Dust generated by Indiana Limestone is considered a nuisance dust. sing the NIOSH 7500 Analytical Method determined Crystalline Silica showed Non-Detect results for this product. This produc carcinogen. Dust created during cutting or fabricating can cause mild skin, eye, or respiratory tract irritation hazards. Eye duce mild or moderate mechanical irritation or inflammation. Skin Contact: Direct contact may cause mild skin irritation due to effects. Inhalation: Inhaled dust may cause respiratory irritation. Not expected to be an ingestion hazard. Follow engineering work practices recommended for inert dust (Particulates Not Otherwise Regulated) (PNOR), as outlined by industrial hygiene d to OSHA Table Z-1, to minimize excessive dust generation.
Eye Irritant. Cate Respiratory Tract Indiana Limeston constituted of cal- Laboratory tests not classified as a Contact: May pro abrasion or drying controls and safe procedures relate 2. Label ele HS-US labelling azard pictograms	ory 2B H320 Irritant. Category 3 H335 is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily ium carbonate. It is not classified as a hazard as a solid. Dust generated by Indiana Limestone is considered a nuisance dust. sing the NIOSH 7500 Analytical Method determined Crystalline Silica showed Non-Detect results for this product. This product carcinogen. Dust created during cutting or fabricating can cause mild skin, eye, or respiratory tract irritation hazards. Eye duce mild or moderate mechanical irritation or inflammation. Skin Contact: Direct contact may cause mild skin irritation due to effects. Inhalation: Inhaled dust may cause respiratory irritation. Not expected to be an ingestion hazard. Follow engineering work practices recommended for inert dust (Particulates Not Otherwise Regulated) (PNOR), as outlined by industrial hygiene d to OSHA Table Z-1, to minimize excessive dust generation. ments (GHS-US) : : : : : : : : : :
Eye Irritant. Cate Respiratory Tract Indiana Limeston constituted of cal Laboratory tests not classified as a Contact: May pro abrasion or drying controls and safe procedures relate 2. Label ele HS-US labelling	invigory 2B H320 Irritant. Category 3 H335 is a naturally occurring substance, generally gray or buff in color with no distinct or odor or taste. This product is primarily ium carbonate. It is not classified as a hazard as a solid. Dust generated by Indiana Limestone is considered a nuisance dust. sing the NIOSH 7500 Analytical Method determined Crystalline Silica showed Non-Detect results for this product. This produce carcinogen. Dust created during cutting or fabricating can cause mild skin, eye, or respiratory tract irritation hazards. Eye duce mild or moderate mechanical irritation or inflammation. Skin Contact: Direct contact may cause mild skin irritation due to effects. Inhalation: Inhaled dust may cause respiratory irritation. Not expected to be an ingestion hazard. Follow engineering work practices recommended for inert dust (Particulates Not Otherwise Regulated) (PNOR), as outlined by industrial hygiene d to OSHA Table Z-1, to minimize excessive dust generation. ments (GHS-US) :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :: :

: None under normal conditions Unknown acute toxicity (GHS-US) 2.4.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Naturally occurring substance/solid

Name	Product identifier	%	GHS-US classification	
Calcium Carbonate (main constituent)	CAS No. 471-34-1	97.30%*	Skin Irritant. Category 2 Eye Irritant. Category. 2B Respiratory Tract Irritant Category 3	H316 H320 H335
Magnesium Oxide	CAS No. 1309-48-4	00.36%*		
Silica by NIOSH 7500 mod. Quartz	CAS No. 14808-60-7	Non-Detect	N/A**	
Cristobalite	CAS. No. 14464-46-1	Non-Detect	N/A**	
Tridymite	CAS. No. 15468-32-3	Non-Detect	N/A**	

*Denotes results from independent laboratory tests conducted in 2022. ** Denotes data from independent laboratory tests conducted in 2022.

3.2. Mixtures	N/A
SECTION 4: First aid	measures

Description of first aid measures

4.1.

Not classified as a mixture

First-aid measures after inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell

First-aid measures after skin contact: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses if present and easy to do.

4.2.	Most important symptoms and effects, both acute and delayed				
Sympto	ms/injuries after inhalation	njuries after inhalation : May cause respiratory irritation.			
Sympto	ms/injuries after skin contact	: Causes mild skin irritation.			
Sympto	ms/injuries after eye contact	: Causes eye irritation.			
4.3.	Indication of any immediate me	dical attention and special treatment needed			
Ob	tain medical assistance.				
SECT	ION 5: Firefighting measur	es			
5.1.	Extinguishing media				
Suitable	e extinguishing media	: Product is non-flammable.			
5.2.	Special hazards arising from the	ne substance or mixture			
No add	tional information available				
5.3.	Advice for firefighters				
		 Product is non-flammable. Contain fire nearby using appropriate media for fire source. Do not enter fire area without proper protective equipment, including respiratory protection. Product is stable but may react with strong oxidizers, strong acids, fluorine. 			
SECT	ION 6: Accidental release r	neasures			
6.1.	Personal precautions, protective	ve equipment, and emergency procedures			
6.1.1.	For non-emergency personnel				
	ve equipment ncy procedures	[:] Safety glasses. Gloves. Particulate filtering mask. :Evacuate unnecessary personnel.			
6.1.2	For emergency responders				
		: Equip crew with proper protection			

Revision date: 15 October 2022

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations 6.2. **Environmental precautions** Dispose of waste according to local, state and federal regulations. Methods and material for containment and cleaning up 6.3. Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Reference to other sections 6.4. See Heading 8. Exposure controls and personal protection. **SECTION 7: Handling and storage** Precautions for safe handling 7.1. : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking Precautions for safe handling : Use local exhaust or general ventilation or appropriate dust filtering mask when cutting : Wash exposed skin thoroughly after handling Hygiene measures 7.2 Conditions for safe storage, including any incompatibilities Storage conditions : Stable. No special precautions Incompatible products : Strong oxidizers. Strong acids. Fluorine. Incompatible materials : Avoid contact with strong acids, Fluorine and oxidizers which may cause chemical reactions 7.3. Specific end use(s) : No additional information available SECTION 8: Exposure controls/personal protection 8.1. Control parameters Calcium Carbonate (471-34-1) (Dust) 5 mg/m³ 8-Hour TWA [Respirable fraction] ^{1,2} USA OSHA OSHA PEL (8-Hour TWA) Table Z-1 & Table Z-3 15 mg/m³ 8-Hour TWA [Total dust] 1,2,3 USA OSHA OSHA PEL (8-Hour TWA) Table Z-1 & Table Z-3 5 mg/m³ 8-Hour TWA [Respirable fraction] 10 mg/m³ 8-Hour TWA [Total dust] CAL/OSHA CAL/OSHA PEL (8-Hour TWA)

All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by this limit, which is 1. the same as the Particulates Not Otherwise Regulated (PNOR) limit in Table Z-1. 2. Respirable fraction refers to the amount of airborne dust in sizes capable of passing through the upper respiratory system to reach the lower

10 mg/m3

10 mg/m3

lung passages, i.e., the amount of dust small enough to be inhaled into the lungs during periods of exposure to a product. Not all dust is respirable.

See 29 CFR 1910.1000 Table Z-1 (PNOR) and 29 CFR 1910.1000 Table Z-3, Mineral Dusts (Inert or Nuisance Dust). 3.

8.2. Exposure controls

REL

ACGIH

NIOSH

_	Respiratory protection	Wear appropriate particulate filtering mask if generating excessive dust (N-95/P-100 or similar)
	Skin and body protection	Wear suitable protective clothing
	Eye protection	Chemical goggles or safety glasses
	Personal protective equipment Hand protection	Wear protective gloves
	Appropriate engineering controls	Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. When cutting, ensure adequate local ventilation, use wet cutting methods, or wear appropriate particulate filtering mask. Avoid all unnecessary exposure.

SECTION 9: Physical and chemical properties

Threshold Limit Value (TLV)

A A A A A A A A A A A A A A A A A A A		
9.1. Information or	basic physical and chen	nical properties
	baolo phychoar ana onon	mour proportioo

Physical state	: Solid	Decomposition temperatur	e : No data available
Appearance	: Light grey or buff colored stone.	Flammability	: Not flammable
Odor	: None to mild earthy odor	Vapor Pressure	: Not applicable
pH Relative evaporation rate	: No data available : Not applicable	Relative density	: No data available
(butylacetate=1)		Density	: No data available
Melting point	: Not applicable	Solubility	: No data available
Freezing point	: Not applicable	Viscosity	: No data available
Boiling point	: Not applicable	Explosive properties	: Not explosive or flammable
Flash point	: None (Not flammable LFL - NA UFL – NA)	Oxidizing properties	: No data available
Self-ignition temperature	: None (Not flammable LFL-NA UFL-NA)	Explosive limits	: Not explosive or flammable
Revision da	ate: 15 October 2022 Issue date: 05 Septe	mber 2016 EN (English)	3 P a g

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid contact with acids. Avoid contact with fluorine. 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with acids and fluorine. Avoid contact with fluorine. Avoid contact with acids, especially strong acids.

10.4. Conditions to avoid

No additional information available.

10.5. Incompatible materials

Strong acids. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effect	S	
Acute toxicity	: Not classified	
Calcium Carbonate (\f)471-34-1		
LD50 oral rat	6450 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	: May cause respiratory irritation. : Not classified	
Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Causes skin irritation.	
Symptoms/injuries after eye contact	: Causes eye irritation.	
Likely routes of exposure	: Inhalation; Skin and eye contact	
SECTION 12: Ecological Informatio	n	
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
Calcium Carbonate (471-34-1)		
Persistence and degradability	Not established	
12.3. Bio-accumulative potential		
Calcium Carbonate (471-34-1)		
Bio-accumulative potential	Not established	
12.4. Mobility in soil		
No additional information available		

No additional information available 12.5. Other adverse effects

Other information

No data available

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste disposal recommendations	Dispose in a safe manner in accordance with local/state/national regulations.			
Ecology - waste materials	Avoid release to the environment. The product is a naturally occurring substance, not expected to be harmful to aquatic organisms.			
	Do not allow fine particulate matter to drain into sewers/water supplies as it may clog or impede sewage systems			
	Discharging excessive limestone dust and fines into waterways may increase total suspended particulate (TSP) levels that can be harmful to certain aquatic organisms.			

SECTION 14: Transport information

In accordance with DOT. Not a DOT-regulated hazardous material. Not classified as dangerous goods for DOT, IATA, IMDG, TDG. Not dangerous goods in sense of transport regulations

Additional information	
Other information ADR	: No supplementary information available.
Transport document description	
Transport by sea:	
No additional information available	
Transport by air:	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations Calcium Carbonate (471-34-1): Listed on the Unite	ed States TSCA (Toxic Substances Control Act) Inventory
15.2. International	

Regulations CANADA

Calcium Carbonate	(471-34-1): Not	listed on the	Canadian In	aredient Disc	closure List
ourorann our sonate (+1 1 0+ 1). 1100	noted on the	oundaiun in	greatent bio	

Calcium Carbonate (471-34-1)

WHMIS Classification

Uncontrolled product according to WHMIS/HPR classification criteria

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm. SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: No SARA Hazards

Rhode Island Right to Know. No components are subject to the Rhode Island Right to Know Act.

Massachusetts Right To Know Components: No components are subject to the Massachusetts Right To Know Act.

Pennsylvania, Minnesota, New Jersey Right To Know Components: Calcium carbonate CAS-No. 471-34-1

No additional information available.

SECTION 16: Other information

Other information


: None.

Full text of H-phrases: see section 16:

Eye Irrit. 2B	Serious eye damage/eye irritation, Category 2B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H335	Respiratory tract irritation
H316	Causes minor skin irritation
H320	Causes eye irritation
H335	May cause respiratory irritation

 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
 0 - Materials that will not burn

NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions,
	and are not reactive with water.



HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard
Physical	: 0 Minimal Hazard
Personal Protection	: E
SDS US (GHS HazCom 2012)	

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and the Supplier assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.